

序号	报告编号	发布日期	结论	影像资料
1	GX-B1377/22-F-24264	2024. 9. 9	所检项目合格	
2	GX-B1377/22-F-24265	2024. 9. 9	所检项目合格	

3	GX-B1377/22-F-24266	2024. 9. 9	所检项目合格	
4	GX-B1377/22-F-24267	2024. 9. 9	所检项目合格	

5	GX-B1378/22-F-24209	2024. 9. 9	所检项目合格	
6	GX-B1492/21-F-24063	2024. 9. 9	所检项目合格	
7	GX-B1489/21-F-24077	2024. 9. 9	所检项目合格	

8	GX-B1377/22-F-24268	2024. 9. 9	所检项目合格	 A photograph showing two female laboratory technicians in light blue short-sleeved shirts and dark trousers. They are standing at a laboratory workstation with a glass fume hood. One technician is operating a white analytical scale on the counter, while the other stands beside her, observing. The date '2024/9/2' is visible in the bottom right corner of the photo.
9	GX-B1377/22-F-24269	2024. 9. 9	所检项目合格	 A photograph showing two female laboratory technicians in light blue short-sleeved shirts and dark trousers. They are standing at a laboratory workstation with a glass fume hood. One technician is operating a white analytical scale on the counter, while the other stands beside her, observing. The date '2024/9/2' is visible in the bottom right corner of the photo.
10	GX-B1377/22-F-24271	2024. 9. 9	所检项目合格	 A photograph showing two female laboratory technicians in light blue short-sleeved shirts and dark trousers. They are standing at a laboratory workstation with a glass fume hood. One technician is operating a white analytical scale on the counter, while the other stands beside her, observing. The date '2024/9/2' is visible in the bottom right corner of the photo.